

More than 1350  
different  
dimensions  
prompt  
from stock

# BLECHA

Wholesale trade



Prompt delivery  
Have a look at  
[www.blecha.at](http://www.blecha.at)  
for our  
touring plan

Tel 0043 (0)2635 68097 Fax 0043 (0)2635 68096 eMail [export@blecha.at](mailto:export@blecha.at)

Ingrid L. BLECHA Ges.m.b.H. IMPORT-EXPORT A-2620 NEUNKIRCHEN, Foehrenwaldstr. 31

## ALUMINIUM

Stock list

04/2006 NO

**35**

**Square and  
rectangular  
tubes with or  
without  
radius**  
page 6,7,8,9




**Oval tubes**

**I-Beams  
T-Sections**



Page 15

Special profiles page 19-22




**U-Channels**  
page 16,17




**Z-Sections**  
page 15

**Flat bars  
Round rods  
Square  
bars**




page 10,11 + 18

**Fittings for Granulate Conveying Systems  
Aluminium or Stainless Steel**



Page 29 + 30 + 31

**Round tubes**



page 3, 4, 5

**Angles**



page 12,13,14


Sheets, tread plates and perforated sheets page 23

Special profiles page 19 - 22


page 24



**Elbows  
180°**




**Elbows**



**Equal tees**

page 25



**Sockets and nipples**



**Double nipple**

page 26



**Shoes**




**Elbow with  
thread**



**Saddles**




**Stub ends**




**Cross**

page 27



**Reducers**



**Tube Connector**

All specifications e.g. weight per metre or per piece of this stock list are without guarantee.  
Only the exact weight is the basis for our calculation.

Original packing units: bars/tubes about 500kg  
sheets about 1000kg

If required, we indicate technical data and static values. We do not take over any liability for the correctness.

Goods can be delivered with our own BLECHA- trucks according to our touring plan, forwarding agents or parcel services.

At the moment, the Ingrid L. Blecha company exports regularly to 36 countries.

Please send inquiries for aluminium special profiles according to drawings, especially for bending works and lathe works in aluminium and stainless steel.

All previous issues of the Blecha stocklists cease their validity.

page 20



**NEW**  
Profile with  
Screw Channel  
P31

For welding, screwing  
and riveting



**BLECHA**  
Wholesale trade

page 16



**NEW**  
Weld on plate  
cast aluminium

Tel 0043 2635 68097 Fax 0043 2635 68096 eMail office@blecha.at http://www.aluzaun.at  
Ingrid L. BLECHA Ges.m.b.H. IMPORT-EXPORT A-2620 NEUNKIRCHEN, Föhrenwaldstr. 31

## FENCE SYSTEMS 2006

**Lath P88PS/SS**  
P78, P781, P782  
P65PS, P65SS  
and Caps  
K98R and K98E  
K78R, K78F, K78E  
K65R and K65E  
page 2+3+4+5

**Standings**  
Standing Caps  
for tube  
120 x 120  
100 x 100  
80 x 80  
60 x 60 page 13+14

**Lath-Supporter**  
P70 P60  
P02, P021, P50  
Cover Strips  
P03, P24, P25  
and P245  
page 6

**Palisade P26**  
Palisade P30  
Fencebow  
round, onion  
sharp and  
decor  
page 7+8+9

**Hinge S05**  
Fixing plate  
Hinge and bolt P05  
T-Profile P41  
Lath P01  
Corner connector V02  
Middle rosette  
Fixing Shoe  
page 15+16

**Railing Profile**  
P15, P63, P09  
Clips P42, P43  
Special Profiles  
P10, P22, P44  
P19, P40, P04  
page 20+21+22

**Triangle profile**  
D100  
D70  
D50  
D30  
page 11

**Doorframe profile**  
P104, P204, P86, P84  
page 17+18+19

**Lath P782 with sided  
sides and cap K78F**  
page 15

**Bolt and  
Door Shoe**  
page 15

**Fixing Angle**

**?** 0043 (0) 2635 68097-21 (Doris Haselbacher)  
0043 (0) 2635 68097-52 (Daniela Primes)  
0043 (0) 2635 68097-51 (Beate Heck)



## The Aluminium Fence System

ask for more information now


or visit our web-site:

**www.aluzaun.at**


Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22) Length: 6000 mm

D	x	S	kg/m	D	x	S	kg/m
RR	6	x 1	0,043	RR	25	x 1	0,204
RR	6	x 1,5	0,057	RR	25	x 1,5	0,300
RR	8	x 1	0,060	RR	25	x 2	0,391
RR	8	x 1,5	0,083	RR	25	x 2,5	0,478
RR	8	x 2	0,102	RR	25	x 3	0,561
RR	9	x 1	0,068	RR	25	x 3,5	0,640
RR	10	x 1	0,077	RR	25	x 5	0,850
RR	10	x 1,5	0,108	RR	26	x 1,5	0,312
RR	10	x 2	0,136	RR	26,9	x 2,5	0,519
RR	10	x 2,5	0,159	RR	27	x 6	1,071
RR	10	x 3	0,179	RR	28	x 1,5	0,338
RR	12	x 1	0,094	RR	28	x 2	0,442
RR	12	x 1,5	0,134	RR	28	x 2,5	0,542
RR	12	x 2	0,170	RR	28	x 3	0,638
RR	13	x 1,5	0,147	RR	28	x 4	0,816
RR	13	x 2	0,187	RR	28	x 5	0,978
RR	14	x 1	0,111	RR	30	x 1	0,247
RR	14	x 2	0,204	RR	30	x 1,5	0,363
RR	14	x 3	0,281	RR	30	x 2	0,476
RR	15	x 1	0,119	RR	30	x 2,5	0,584
RR	15	x 1,5	0,172	RR	30	x 3	0,689
RR	15	x 2	0,221	RR	30	x 4	0,884
RR	15	x 2,5	0,266	RR	30	x 5	1,063
RR	16	x 1	0,128	RR	30	x 7,5	1,434
RR	16	x 1,5	0,185	RR	31	x 2,5	0,606
RR	16	x 2	0,238	RR	32	x 1	0,264
RR	16	x 2,5	0,287	RR	32	x 1,5	0,389
RR	16	x 3	0,332	RR	32	x 2	0,510
RR	16	x 4	0,408	RR	32	x 3	0,740
RR	18	x 1	0,145	RR	32	x 5	1,148
RR	18	x 1,5	0,210	RR	33,7	x 3	0,783
RR	18	x 2	0,272	RR	34	x 4	1,020
RR	18	x 3	0,383	RR	35	x 1	0,289
RR	19	x 1	0,153	RR	35	x 1,5	0,427
RR	19	x 1,5	0,223	RR	35	x 2	0,561
RR	20	x 1	0,162	RR	35	x 2,5	0,691
RR	20	x 1,2	0,192	RR	35	x 3	0,816
RR	20	x 1,5	0,236	RR	35	x 4	1,054
RR	20	x 2	0,306	RR	35	x 5	1,275
RR	20	x 2,5	0,372	RR	36	x 2	0,578
RR	20	x 3	0,434	RR	36	x 6	1,530
RR	20	x 4	0,544	RR	38	x 1,5	0,465
RR	20	x 5	0,638	RR	38	x 3	0,893
RR	21	x 2	0,323	RR	38	x 4	1,156
RR	21	x 3	0,459	RR	38	x 5	1,403
RR	22	x 1	0,179	RR	40	x 1	0,332
RR	22	x 1,5	0,261	RR	40	x 1,5	0,550
RR	22	x 2	0,340	RR	40	x 2	0,646
RR	22	x 2,5	0,414	RR	40	x 2,5	0,797
RR	22	x 3	0,485	RR	40	x 3	0,944
RR	23	x 1,5	0,274	RR	40	x 4	1,224
RR	24	x 1,5	0,287	RR	40	x 5	1,488
RR	24	x 2	0,374	RR	40	x 8	2,176


## Round tubes



## Round tubes




D x S	kg/m	D x S	kg/m	D x S	kg/m
RR 40 x 10	2,550	RR 60 x 3 (7m)	1,450	RR 80 x 15	8,270
RR 42 x 1,5	0,516	RR 60 x 4	1,900	RR 84 x 2	1,391
RR 42 x 2	0,720	RR 60 x 5	2,333	RR 85 x 5	3,393
RR 42 x 2,5	0,839	RR 60 x 6	2,748	RR 86 x 3	2,112
RR 42 x 3	0,995	RR 60 x 10	4,241	RR 89 x 2	1,476
RR 42 x 3,5	1,145	RR 60 x 11	4,572	RR 89 x 3	2,188
RR 42 x 4	1,292	RR 60 x 15	5,725	RR 90 x 1,5	1,126
RR 42 x 5	1,573	RR 60 x 20	6,786	RR 90 x 3	2,214
RR 42,4 x 2,8	0,942	RR 62 x 2	1,018	RR 90 x 4	2,918
RR 45 x 1,5	0,555	RR 63 x 1,5	0,782	RR 90 x 5	3,605
RR 45 x 2	0,731	RR 63 x 3	1,527	RR 90 x 6	4,275
RR 45 x 2,5	0,903	RR 63 x 8	3,732	RR 90 x 10	6,786
RR 45 x 3	1,069	RR 65 x 1,7	0,913	RR 90 x 20	11,875
RR 45 x 5	1,696	RR 65 x 2	1,069	RR 90 x 25 (3m)	13,783
RR 45 x 7,5	2,386	RR 65 x 2,5	1,325	RR 90 x 25 (6m)	13,783
RR 46 x 3	1,094	RR 65 x 4	2,070	RR 92 x 5	3,690
RR 48 x 2	0,780	RR 65 x 5	2,545	RR 95 x 2,5	1,961
RR 48 x 2,5	0,965	RR 66 x 2,5	1,347	RR 96 x 14,5	10,024
RR 48 x 3	1,145	RR 66 x 3	1,603	RR 100 x 1,5	1,253
RR 48 x 4	1,493	RR 70 x 2	1,154	RR 100 x 2	1,662
RR 48 x 5	1,824	RR 70 x 2,5	1,431	RR 100 x 2,5	2,067
RR 48,3 x 4,05	1,520	RR 70 x 3	1,705	RR 100 x 3	2,468
RR 48,3 x 6	2,153	RR 70 x 4	2,239	RR 100 x 4 (6m)	3,257
RR 50 x 1,5	0,617	RR 70 x 5	2,757	RR 100 x 4 (8m)	3,257
RR 50 x 2	0,814	RR 70 x 7	3,741	RR 100 x 5	4,029
RR 50 x 2,5	1,007	RR 70 x 10	5,089	RR 100 x 6	4,784
RR 50 x 3	1,196	RR 72 x 4	2,307	RR 100 x 8	6,243
RR 50 x 3,5	1,380	RR 75 x 2	1,238	RR 100 x 10	7,634
RR 50 x 4	1,561	RR 75 x 2,5	1,537	RR 100 x 20	13,571
RR 50 x 5	1,908	RR 75 x 3	1,832	RR 105 x 2,5	2,174
RR 50 x 6	2,239	RR 75 x 5	2,969	RR 106 x 3	2,621
RR 50 x 8	2,850	RR 76 x 2,5	1,559	RR 108 x 2,5	2,237
RR 50 x 10	3,393	RR 76 x 3 (3m)	1,858	RR 108 x 3	2,672
RR 54 x 2	0,882	RR 76 x 3 (6m)	1,858	RR 108 x 4	3,529
RR 55 x 2	0,899	RR 76 x 3 (7m)	1,858	RR 108 x 5	4,368
RR 55 x 2,5	1,113	RR 76 x 4	2,443	RR 110 x 2,5	2,280
RR 55 x 5	2,121	RR 80 x 1,5	0,999	RR 110 x 3	2,723
RR 56 x 3	1,349	RR 80 x 2	1,323	RR 110 x 5	4,453
RR 58 x 3	1,400	RR 80 x 2,5	1,643	RR 110 x 10	8,482
RR 60 x 1	0,500	RR 80 x 3	1,959	RR 114,3 x 3	2,832
RR 60 x 1,5	0,744	RR 80 x 4	2,579	RR 114,3 x 6	5,512
RR 60 x 2	0,984	RR 80 x 5	3,181	RR 115 x 5	4,665
RR 60 x 2,5	1,219	RR 80 x 6	3,766	RR 120 x 2	2,002
RR 60 x 3 (3m)	1,450	RR 80 x 8	4,886	RR 120 x 3	2,977
RR 60 x 3 (3,5m)	1,450	RR 80 x 10	5,937	RR 120 x 4	3,936
RR 60 x 3 (6m)	1,450				



## Round tubes

	D	x	S	kg/m		D	x	S	kg/m
RR	120	x	5	4,877	RR	160	x	3 (7m)	3,995
RR	120	x	8	7,600	RR	160	x	3 (8m)	3,995
RR	120	x	10	9,330	RR	160	x	3 (10m)	3,995
RR	120	x	15	13,359	RR	160	x	4	5,293
RR	125	x	4	4,105	RR	160	x	5	6,574
RR	125	x	10	9,754	RR	168	x	3,4	4,747
RR	130	x	2	2,171	RR	170	x	5	6,998
RR	130	x	3	3,232	RR	180	x	3 (6m)	4,504
RR	130	x	5	5,301	RR	180	x	3 (10m)	4,504
RR	130	x	10	10,178	RR	180	x	5	7,422
RR	130	x	15	14,631	RR	180	x	5 (10m)	7,422
RR	133	x	3	3,308	RR	190	x	3	4,758
RR	133	x	4	4,377	RR	190	x	3 (10m)	4,758
RR	140	x	3	3,486	RR	200	x	3	5,013
RR	140	x	4	4,614	RR	200	x	3 (10m)	5,013
RR	140	x	5	5,725	RR	200	x	3 (11m)	5,013
RR	140	x	10	11,027	RR	200	x	5	8,270
RR	150	x	2 (6m)	2,511	RR	200	x	8	13,028
RR	150	x	2 (10m)	2,511	RR	208	x	4	6,921
RR	150	x	3	3,741	RR	220	x	5	9,118
RR	150	x	5	6,149	RR	230	x	5	9,542
RR	150	x	10	11,875	RR	240	x	5	9,966
RR	150	x	10 (5m)	11,875	RR	250	x	5 (6m)	10,390
RR	156	x	3	3,893	RR	250	x	5 (10m)	10,390
RR	160	x	2	2,680	RR	250	x	5 (11m)	10,390
RR	160	x	2 (8m)	2,680	RR	273	x	4,5	10,248
RR	160	x	3	3,995	RR	300	x	4	10,043



Length: 6000 mm

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)

## Round tubes

Several Alloys


Length: 6000 mm


Round tubes bended in accordance to customers drawing.

EN AW-1050		Al99,5		
	D	x	S	kg/m
RR	33,5	x	3,25	0,836
RR	62	x	2	1,020
RR	140	x	2	2,346

EN AW-2007		AlCuMgPb		
	D	x	S	kg/m
RR	75	x	10	5,720

EN AW-5754		AlMg3		
	D	x	S	kg/m
RR	45	x	5	1,700
RR	65	x	5	2,550
RR	80	x	5	3,188
RR	82	x	4	2,652
RR	100	x	4	3,264






## Rectangular tubes


Length: 6000 mm Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)

This is the STOCKLIST. Subject prior sale.  
Other dimensions on request.

	A x	B x S	kg/m		A x	B x S	kg/m
FR	15 x	10 x 1,5	0,180	FR	50 x	20 x 2	0,713
FR	18 x	15 x 2	0,313	FR	50 x	20 x 3	1,037
FR	20 x	10 x 1	0,150	FR	50 x	20 x 4	1,339
FR	20 x	10 x 1,5	0,219	FR	50 x	25 x 1,5	0,583
FR	20 x	10 x 2	0,281	FR	50 x	25 x 2	0,767
FR	20 x	15 x 1,5	0,260	FR	50 x	25 x 2,5	0,945
FR	20 x	15 x 2	0,335	FR	50 x	25 x 3	1,120
FR	25 x	10 x 2	0,360	FR	50 x	30 x 2	0,821
FR	25 x	15 x 1,5	0,300	FR	50 x	30 x 2,5	1,013
FR	25 x	15 x 2	0,389	FR	50 x	30 x 3	1,195
FR	25 x	20 x 2	0,443	FR	50 x	40 x 2	0,930
FR	30 x	10 x 1,5	0,300	FR	50 x	40 x 2,5	1,147
FR	30 x	10 x 2	0,389	FR	50 x	40 x 3	1,361
FR	30 x	15 x 1,5	0,340	FR	50 x	40 x 4	1,770
FR	30 x	15 x 2	0,443	FR	50 x	45 x 2	0,980
FR	30 x	15 x 3	0,630	FR	55 x	50 x 3	1,610
FR	30 x	20 x 1,5	0,340	FR	60 x	10 x 2	0,710
FR	30 x	20 x 2	0,497	FR	60 x	20 x 1,5	0,599
FR	30 x	20 x 3	0,713	FR	60 x	20 x 2	0,821
FR	30 x	25 x 2	0,551	FR	60 x	20 x 3	1,200
FR	30 x	25 x 2,5	0,680	FR	60 x	20 x 4	1,570
FR	34 x	20 x 2	0,540	FR	60 x	25 x 2	0,875
FR	35 x	15 x 1,5	0,380	FR	60 x	25 x 3	1,280
FR	35 x	15 x 2	0,500	FR	60 x	30 x 2	0,929
FR	35 x	20 x 2	0,551	FR	60 x	30 x 3	1,361
FR	35 x	25 x 1,5	0,462	FR	60 x	30 x 4	1,771
FR	35 x	25 x 2	0,606	FR	60 x	40 x 2	1,037
FR	40 x	10 x 2	0,500	FR	60 x	40 x 2,5	1,282
FR	40 x	15 x 2	0,551	FR	60 x	40 x 3	1,523
FR	40 x	20 x 1,5	0,462	FR	60 x	40 x 4	1,987
FR	40 x	20 x 2	0,606	FR	60 x	50 x 3	1,685
FR	40 x	20 x 2,5	0,742	FR	60 x	50 x 4	2,203
FR	40 x	20 x 3	0,875	FR	65 x	15 x 1,5	0,620
FR	40 x	20 x 4	1,153	FR	70 x	20 x 2	0,929
FR	40 x	25 x 1,5	0,502	FR	70 x	25 x 2,5	1,215
FR	40 x	25 x 2	0,659	FR	70 x	30 x 2	1,040
FR	40 x	25 x 2,5	0,810	FR	70 x	35 x 2	1,090
FR	40 x	30 x 1,5	0,543	FR	70 x	40 x 3	1,680
FR	40 x	30 x 2	0,713	FR	70 x	50 x 2	1,210
FR	40 x	30 x 2,5	0,877	FR	70 x	50 x 4	2,420
FR	40 x	30 x 3	1,037	FR	75 x	50 x 3	1,928
FR	40 x	30 x 4	1,340	FR	80 x	10 x 2	0,930
FR	45 x	20 x 2	0,610	FR	80 x	15 x 1,5	0,750
FR	45 x	25 x 2	0,713	FR	80 x	18 x 2	1,015
FR	45 x	25 x 3	1,037	FR	80 x	20 x 1,3	0,680
FR	50 x	10 x 2	0,600	FR	80 x	20 x 1,5	0,786
FR	50 x	15 x 2	0,659	FR	80 x	20 x 2	1,037








## Rectangular tubes

A x B x S	kg/m	A x B x S	kg/m	A x B x S	kg/m
FR 80 x 20 x 2,5	1,283	FR 100 x 75 x 2,5 (8m)	2,295	FR 180 x 18 x 2	2,095
FR 80 x 25 x 2	1,090	FR 100 x 80 x 3	2,819	FR 180 x 40 x 4	4,580
FR 80 x 25 x 2,5	1,350	FR 100 x 80 x 4	3,715	FR 180 x 50 x 4	4,795
FR 80 x 30 x 2	1,145	FR 120 x 18 x 2	1,440	FR 180 x 60 x 3	3,790
FR 80 x 30 x 3	1,685	FR 120 x 20 x 1,5	1,110	FR 180 x 60 x 4	5,011
FR 80 x 30 x 4	2,200	FR 120 x 20 x 2	1,540	FR 180 x 80 x 4	5,443
FR 80 x 40 x 2	1,253	FR 120 x 30 x 2	0,686	FR 200 x 18 x 2	2,312
FR 80 x 40 x 2,5	1,552	FR 120 x 30 x 3	2,333	FR 200 x 18 x 2 mit Steg	
FR 80 x 40 x 3	1,847	FR 120 x 40 x 2	1,685	FR 200 x 30 x 2,8	3,390
FR 80 x 40 x 4	2,419	FR 120 x 40 x 2,5	2,092	FR 200 x 50 x 2,5	3,310
FR 80 x 50 x 2	1,361	FR 120 x 40 x 4	3,283	FR 200 x 50 x 4	5,228
FR 80 x 50 x 3	2,009	FR 120 x 50 x 2	1,793	FR 200 x 60 x 4	5,444
FR 80 x 50 x 4	2,635	FR 120 x 50 x 3	2,660	FR 200 x 100 x 4	6,307
FR 80 x 50 x 5	3,240	FR 120 x 50 x 4	3,499	FR 250 x 50 x 3	6,307
FR 80 x 60 x 2,5	1,820	FR 120 x 60 x 3	2,819	FR 250 x 100 x 4	7,390
FR 80 x 60 x 3 (6m)	2,171	FR 120 x 60 x 4	3,715		
FR 80 x 60 x 3 (8m)	2,171	FR 120 x 80 x 3	3,143		
FR 80 x 60 x 4	2,851	FR 120 x 80 x 4	4,147		
FR 90 x 18 x 1,5 mit Steg		FR 120 x 100 x 3	3,467		
FR 90 x 40 x 3	2,010	FR 130 x 50 x 4	3,720		
FR 97 x 17 x 1,2 mit Steg		FR 140 x 18 x 2	1,663		
FR 100 x 18 x 2	1,231	FR 140 x 40 x 4	3,720		
FR 100 x 18 x 4	2,376	FR 140 x 60 x 2,5	2,633		
FR 100 x 20 x 1,3	0,820	FR 140 x 80 x 4	4,579		
FR 100 x 20 x 1,6	1,010	FR 150 x 15 x 2 mit Steg			
FR 100 x 20 x 2	1,253	FR 150 x 18 x 2	1,770		
FR 100 x 20 x 3	1,847	FR 150 x 18 x 2 mit Steg			
FR 100 x 20 x 4	2,420	FR 150 x 20 x 1,8	1,618		
FR 100 x 25 x 2	1,307	FR 150 x 30 x 3	2,820		
FR 100 x 30 x 2	1,360	FR 150 x 40 x 2,5	2,498		
FR 100 x 30 x 3	2,009	FR 150 x 40 x 4	3,393		
FR 100 x 40 x 2	1,469	FR 150 x 50 x 2	2,120		
FR 100 x 40 x 2,5	1,823	FR 150 x 50 x 3	3,143		
FR 100 x 40 x 3	2,171	FR 150 x 50 x 4	4,147		
FR 100 x 40 x 4	2,851	FR 150 x 60 x 3	3,305		
FR 100 x 50 x 2	1,577	FR 150 x 60 x 5	5,400		
FR 100 x 50 x 3	2,333	FR 150 x 80 x 4	4,810		
FR 100 x 50 x 4	3,067	FR 150 x 100 x 3	3,953		
FR 100 x 50 x 5	3,780	FR 160 x 40 x 4	4,150		
FR 100 x 60 x 2	1,680	FR 160 x 60 x 4	4,579		
FR 100 x 60 x 2,5	2,090	FR 160 x 60 x 5	5,670		
FR 100 x 60 x 3	2,500	FR 160 x 80 x 4	5,010		
FR 100 x 60 x 4	3,283	FR 160 x 90 x 5	6,480		
FR 100 x 60 x 5	4,050	FR 170 x 25 x 1,8	1,860		
FR 100 x 75 x 2,5 (6m)	2,295	FR 170 x 70 x 4	5,011		

This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.

Length: 6000 mm Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)

## Square tubes




A x B x S	kg/m	A x B x S	kg/m
FR 10 x 10 x 1	0,097	FR 50 x 50 x 1,5	0,786
FR 10 x 10 x 1,5	0,138	FR 50 x 50 x 2 (6m)	1,037
FR 12 x 12 x 1	0,119	FR 50 x 50 x 2 (7m)	1,037
FR 12 x 12 x 2	0,216	FR 50 x 50 x 2,5	1,283
FR 14 x 14 x 1	0,140	FR 50 x 50 x 3	1,523
FR 15 x 15 x 1	0,151	FR 50 x 50 x 4	1,987
FR 15 x 15 x 1,5	0,219	FR 50 x 50 x 5	2,430
FR 15 x 15 x 2	0,281	FR 55 x 55 x 2	1,145
FR 16 x 16 x 1	0,162	FR 60 x 60 x 1,5	0,948
FR 16 x 16 x 4	0,518	FR 60 x 60 x 2	1,253
FR 18 x 18 x 1,5	0,267	FR 60 x 60 x 2,5	1,553
FR 18 x 18 x 2	0,346	FR 60 x 60 x 3	1,847
FR 20 x 20 x 1	0,205	FR 60 x 60 x 4	2,419
FR 20 x 20 x 1,3	0,263	FR 60 x 60 x 5	2,970
FR 20 x 20 x 1,5	0,300	FR 65 x 65 x 2,5	1,688
FR 20 x 20 x 2	0,389	FR 70 x 70 x 2	1,469
FR 20 x 20 x 2,5	0,473	FR 70 x 70 x 3	2,171
FR 20 x 20 x 3	0,551	FR 70 x 70 x 4	2,851
FR 25 x 25 x 1,5	0,381	FR 80 x 80 x 2	1,685
FR 25 x 25 x 2	0,497	FR 80 x 80 x 3	2,495
FR 25 x 25 x 2,5	0,608	FR 80 x 80 x 4	3,283
FR 25 x 25 x 3	0,713	FR 80 x 80 x 5	4,050
FR 25 x 25 x 4	0,907	FR 80 x 80 x 6	4,795
FR 30 x 30 x 1,5	0,462	FR 90 x 90 x 2,5	2,363
FR 30 x 30 x 2	0,605	FR 90 x 90 x 4	3,715
FR 30 x 30 x 2,5	0,743	FR 100 x 100 x 2	2,117
FR 30 x 30 x 3	0,875	FR 100 x 100 x 2,5	2,633
FR 30 x 30 x 4	1,123	FR 100 x 100 x 3	3,143
FR 34 x 34 x 2	0,691	FR 100 x 100 x 4	4,147
FR 34 x 34 x 3	1,004	FR 100 x 100 x 5	5,130
FR 35 x 35 x 2	0,713	FR 100 x 100 x 6	6,091
FR 35 x 35 x 3	1,037	FR 100 x 100 x 10	9,720
FR 40 x 40 x 1,5	0,624	FR 120 x 120 x 2,5	3,173
FR 40 x 40 x 2	0,821	FR 120 x 120 x 4	5,011
FR 40 x 40 x 2,5	1,013	FR 120 x 120 x 5	6,210
FR 40 x 40 x 3	1,199	FR 120 x 120 x 5 (10m)	6,210
FR 40 x 40 x 4	1,555	FR 130 x 130 x 5	6,750
FR 40 x 40 x 5	1,890	FR 145 x 145 x 3	4,601
FR 45 x 45 x 2	0,929	FR 150 x 150 x 4	6,307
FR 45 x 45 x 3	1,361	FR 150 x 150 x 5	7,830

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)  
 Length: 6000 mm




This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.



## Square tubes and Rectangular tubes with round corners



	A x	B x S		kg/m		A x	B x S		kg/m
FR	25 x	15 x 1,8	R 2	0,345	FR	45 x	25 x 2	R 2	0,710
FR	25 x	25 x 2	R 2	0,479	FR	45 x	45 x 2,5	R 3,5	1,030
FR	25 x	25 x 2	R 2,5	0,480	FR	50 x	50 x 2,5	R 4	1,280
FR	30 x	10 x 2	R 2	0,380	FR	50 x	50 x 3	R 4	1,490
FR	30 x	20 x 2	R 2	0,490	FR	50 x	50 x 4	R 4	1,960
FR	30 x	30 x 2	R 2	0,596	FR	60 x	40 x 2,5	R 2	1,273
FR	30 x	30 x 2	R 3	0,605	FR	60 x	60 x 2,5	R 3	1,532
FR	30 x	30 x 2,5	R 5	0,704	FR	60 x	60 x 3	R 3	1,800
FR	30 x	30 x 3	R 3	0,850	FR	60 x	60 x 3	R 6	1,841
FR	35 x	25 x 2	R 2	0,600	FR	60 x	60 x 4	R 3	2,398
FR	35 x	35 x 2	R 5	0,670	FR	70 x	70 x 2,5	R 4	1,830
FR	35 x	35 x 2,5	R 2,5	0,870	FR	75 x	50 x 5	R 2	3,100
FR	40 x	20 x 2	R 2	0,610	FR	80 x	80 x 3	R 6	2,240
FR	40 x	40 x 2	R 4	0,821	FR	80 x	80 x 4	R 6	3,240
FR	40 x	40 x 2,5	R 2	1,003	FR	100 x	25 x 1,8 / 2,2	R3,5	1,200
FR	40 x	40 x 2,5	R 4	1,016	FR	100 x	100 x 3	R 8	3,000
FR	40 x	40 x 2,5	R 5	1,015	FR	100 x	100 x 4	R 8	4,055
FR	40 x	40 x 4	R 2	1,546	FR	120 x	120 x 4	R 10	4,800







## Oval tubes flat

	A x	B x S		kg/m
OR	30 x	18,5 x 2,25		0,450
OR	33 x	22 x 2		0,460
OR	42 x	22 x 1,5		0,423
OR	45 x	23 x 2		0,594
OR	50 x	25 x 2		0,660
OR	50 x	30 x 1,5		0,525
OR	110 x	26 x 3		1,945
OR	160 x	80 x 3	L=6 m	3,255
OR	160 x	80 x 3	L=8 m	3,255

This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)  
 Length: 6000 mm

## Flat Bars




A	x	B	kg/m	A	x	B	kg/m
FL	8	x 2	0,043	FL	30	x 4	0,324
FL	8	x 5	0,108	FL	30	x 5	0,405
FL	10	x 2	0,054	FL	30	x 6	0,486
FL	10	x 3	0,081	FL	30	x 8	0,648
FL	10	x 4	0,108	FL	30	x 10	0,810
FL	10	x 5	0,135	FL	30	x 12	0,972
FL	10	x 6	0,162	FL	30	x 15	1,215
FL	10	x 8	0,216	FL	30	x 20	1,620
FL	12	x 2	0,065	FL	30	x 25	2,025
FL	12	x 3	0,097	FL	35	x 2	0,189
FL	12	x 4	0,130	FL	35	x 3	0,284
FL	12	x 5	0,162	FL	35	x 4	0,378
FL	12	x 6	0,194	FL	35	x 5	0,473
FL	12	x 8	0,259	FL	35	x 6	0,567
FL	12	x 10	0,324	FL	35	x 8	0,756
FL	15	x 2	0,081	FL	35	x 10	0,945
FL	15	x 3	0,122	FL	35	x 12	1,134
FL	15	x 4	0,162 L=6,1m	FL	35	x 15	1,418
FL	15	x 5	0,203	FL	35	x 20	1,890
FL	15	x 6	0,243	FL	35	x 25	2,363
FL	15	x 8	0,324	FL	40	x 2	0,216
FL	15	x 10	0,405	FL	40	x 3	0,324
FL	16	x 3	0,130	FL	40	x 4	0,432
FL	16	x 5	0,216	FL	40	x 5	0,540
FL	18	x 3	0,146	FL	40	x 6	0,648
FL	18	x 5	0,243	FL	40	x 8	0,864
FL	18	x 8	0,389	FL	40	x 10	1,080
FL	20	x 2	0,108	FL	40	x 12	1,296
FL	20	x 3	0,162	FL	40	x 15	1,620
FL	20	x 4	0,216	FL	40	x 20	2,160
FL	20	x 5	0,270	FL	40	x 25	2,700
FL	20	x 6	0,324	FL	40	x 30	3,240
FL	20	x 8	0,432	FL	45	x 2	0,243
FL	20	x 10	0,540	FL	45	x 3	0,365
FL	20	x 12	0,648	FL	45	x 5	0,608
FL	20	x 15	0,810	FL	45	x 6	0,729
FL	25	x 2	0,135	FL	45	x 8	0,972
FL	25	x 3	0,203	FL	45	x 10	1,215
FL	25	x 4	0,270	FL	45	x 15	1,823
FL	25	x 5	0,338	FL	45	x 20	2,430
FL	25	x 6	0,405	FL	50	x 2	0,270
FL	25	x 8	0,540	FL	50	x 3	0,405
FL	25	x 10	0,675	FL	50	x 4	0,540
FL	25	x 12	0,810	FL	50	x 5	0,675
FL	25	x 15	1,013	FL	50	x 6	0,810
FL	25	x 20	1,350	FL	50	x 8	1,080
FL	30	x 2	0,162	FL	50	x 10	1,350
FL	30	x 3	0,243				

This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.




10

Length: 6000 mm

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)




A	x	B	kg/m	A	x	B	kg/m				
FL 50	x	12	1,620	FL 80	x	25	5,400	FL 150	x	20	8,100
FL 50	x	15	2,025	FL 80	x	30	6,480	FL 150	x	30	12,150
FL 50	x	20	2,700	FL 80	x	35	7,560	FL 150	x	40	16,200
FL 50	x	25	3,375	FL 80	x	40	8,640	FL 160	x	5	2,160
FL 50	x	30	4,050	FL 80	x	50	10,800	FL 160	x	10	4,320
FL 50	x	35	4,725	FL 90	x	3	0,729	FL 160	x	15	6,480
FL 50	x	40	5,400	FL 90	x	5	1,215	FL 180	x	6	2,916
FL 55	x	5	0,743	FL 90	x	6	1,458	FL 180	x	8	3,888
FL 55	x	10	1,485	FL 90	x	8	1,944	FL 180	x	10	4,860
FL 60	x	2	0,324	FL 90	x	10	2,430	FL 200	x	5	2,700
FL 60	x	3	0,486	FL 90	x	15	3,645	FL 200	x	8	4,320
FL 60	x	4	0,648	FL 90	x	20	4,860	FL 200	x	10	5,400
FL 60	x	5	0,810	FL 90	x	25	6,075	FL 200	x	15	8,100
FL 60	x	6	0,972	FL 90	x	30	7,290	FL 200	x	20	10,800
FL 60	x	8	1,296	FL 100	x	3	0,810	FL 200	x	25	13,500
FL 60	x	10	1,620	FL 100	x	4	1,080	FL 200	x	30	16,200
FL 60	x	12	1,944	FL 100	x	5	1,350	FL 250	x	8	5,400
FL 60	x	15	2,430	FL 100	x	6	1,620	FL 250	x	10	6,750
FL 60	x	20	3,240	FL 100	x	8	2,160	FL 250	x	20	13,500
FL 60	x	25	4,050	FL 100	x	10	2,700	FL 300	x	20	16,200
FL 60	x	30	4,860	FL 100	x	12	3,240	<div>Flat Bars</div> 			
FL 60	x	40	6,480	FL 100	x	15	4,050				
FL 60	x	50	8,100	FL 100	x	20	5,400				
FL 70	x	2	0,378	FL 100	x	25	6,750				
FL 70	x	3	0,567	FL 100	x	30	8,100				
FL 70	x	4	0,756	FL 100	x	40	10,800				
FL 70	x	5	0,945	FL 110	x	8	2,376				
FL 70	x	6	1,134	FL 120	x	5	1,620				
FL 70	x	8	1,512	FL 120	x	6	1,944				
FL 70	x	10	1,890	FL 120	x	8	2,592				
FL 70	x	12	2,268	FL 120	x	10	3,240				
FL 70	x	15	2,835	FL 120	x	12	3,888				
FL 70	x	20	3,780	FL 120	x	15	4,860				
FL 70	x	25	4,725	FL 120	x	20	6,480				
FL 70	x	30	5,670	FL 120	x	25	8,100				
FL 70	x	40	7,560	FL 120	x	30	9,720				
FL 70	x	50	9,450	FL 125	x	8	2,700				
FL 80	x	2	0,432	FL 125	x	10	3,375				
FL 80	x	3	0,648	FL 130	x	8	2,808				
FL 80	x	4	0,864	FL 140	x	10	3,780				
FL 80	x	5	1,080	FL 140	x	15	5,670				
FL 80	x	6	1,296	FL 150	x	5	2,025				
FL 80	x	8	1,728	FL 150	x	6	2,430				
FL 80	x	10	2,160	FL 150	x	8	3,240				
FL 80	x	12	2,592	FL 150	x	10	4,050				
FL 80	x	15	3,240	FL 150	x	15	6,075				
FL 80	x	20	4,320								

## Flat Bars



This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.


## Angles asymmetrical






A x	B x S	kg/m	A x	B x S	kg/m
L 10 x	5 x 2	0,070	L 40 x	30 x 4	0,713
L 15 x	10 x 2	0,124	L 40 x	30 x 5	0,878
L 16 x	8 x 2	0,119	L 40 x	35 x 2	0,394
L 20 x	10 x 1,5	0,115	L 45 x	15 x 2	0,313
L 20 x	10 x 2	0,151	L 45 x	20 x 2	0,340
L 20 x	15 x 2	0,178	L 45 x	20 x 3	0,502
L 20 x	15 x 3	0,259	L 45 x	25 x 3	0,543
L 25 x	10 x 2	0,178	L 45 x	30 x 3	0,583
L 25 x	15 x 1,5	0,156	L 50 x	10 x 2	0,313
L 25 x	15 x 2	0,205	L 50 x	15 x 2	0,340
L 25 x	15 x 3	0,300	L 50 x	15 x 2,5	0,422
L 25 x	20 x 1,5	0,176	L 50 x	20 x 2	0,367
L 25 x	20 x 2	0,232	L 50 x	20 x 2,5	0,456
L 25 x	20 x 2,5	0,287	L 50 x	20 x 3	0,543
L 25 x	20 x 3	0,340	L 50 x	20 x 4	0,713
L 30 x	10 x 2	0,205	L 50 x	25 x 2	0,394
L 30 x	15 x 1,5	0,176	L 50 x	25 x 2,5	0,489
L 30 x	15 x 2	0,232	L 50 x	25 x 3	0,489
L 30 x	15 x 3	0,340	L 50 x	25 x 4	0,767
L 30 x	20 x 1	0,132	L 50 x	25 x 5	0,945
L 30 x	20 x 1,5	0,196	L 50 x	30 x 2	0,421
L 30 x	20 x 2	0,259	L 50 x	30 x 3	0,624
L 30 x	20 x 2,5	0,321	L 50 x	30 x 4	0,821
L 30 x	20 x 3	0,381	L 50 x	30 x 5	1,013
L 30 x	20 x 4	0,497	L 50 x	35 x 4	0,875
L 30 x	25 x 2	0,286	L 50 x	40 x 2	0,475
L 30 x	25 x 3	0,421	L 50 x	40 x 3	0,705
L 35 x	15 x 2	0,259	L 50 x	40 x 4	0,929
L 35 x	20 x 2	0,286	L 50 x	40 x 5	1,148
L 35 x	20 x 3	0,421	L 60 x	10 x 2	0,367
L 35 x	25 x 2	0,313	L 60 x	15 x 2	0,394
L 35 x	25 x 3	0,462	L 60 x	20 x 2	0,421
L 40 x	10 x 2	0,259	L 60 x	20 x 3	0,624
L 40 x	15 x 2	0,286	L 60 x	25 x 2	0,448
L 40 x	20 x 2	0,313	L 60 x	25 x 2,5	0,557
L 40 x	20 x 2,5	0,388	L 60 x	25 x 3	0,664
L 40 x	20 x 3	0,462	L 60 x	30 x 2	0,475
L 40 x	20 x 4	0,605	L 60 x	30 x 3	0,705
L 40 x	20 x 5	0,743	L 60 x	30 x 4	0,929
L 40 x	25 x 2	0,340	L 60 x	30 x 5	1,148
L 40 x	25 x 2,5	0,422	L 60 x	30 x 6	1,361
L 40 x	25 x 3	0,502	L 60 x	40 x 2	0,529
L 40 x	25 x 4	0,659	L 60 x	40 x 3	0,786
L 40 x	30 x 2	0,367	L 60 x	40 x 4	1,037
L 40 x	30 x 3	0,543	L 60 x	40 x 5	1,283

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)

Length: 6000 mm



## Angles asymmetrical




	A x	B x S	kg/m		A x	B x S	kg/m
L	60 x	40 x 6	1,523	L	100 x	50 x 3	1,191
L	60 x	50 x 2	0,583	L	100 x	50 x 5	1,958
L	70 x	15 x 2	0,448	L	100 x	50 x 6	2,333
L	70 x	20 x 2	0,475	L	100 x	50 x 8	3,067
L	70 x	25 x 2	0,502	L	100 x	50 x 10	3,780
L	70 x	25 x 2,5	0,624	L	100 x	60 x 6	2,495
L	70 x	30 x 2	0,529	L	100 x	60 x 8	3,283
L	70 x	30 x 3	0,786	L	100 x	80 x 6	2,819
L	70 x	30 x 5	1,283	L	100 x	80 x 8	3,715
L	70 x	40 x 2	0,583	L	110 x	30 x 2	0,745
L	70 x	40 x 4	1,145	L	120 x	20 x 2	0,745
L	70 x	50 x 3	0,948	L	120 x	30 x 3	1,191
L	70 x	50 x 5	1,553	L	120 x	40 x 3	1,272
L	75 x	50 x 5	1,620	L	120 x	40 x 4	1,685
L	80 x	15 x 2	0,502	L	120 x	50 x 5	2,228
L	80 x	20 x 2	0,529	L	120 x	60 x 2	0,961
L	80 x	25 x 2	0,556	L	120 x	60 x 6	2,819
L	80 x	25 x 2,5	0,692	L	120 x	60 x 8	3,715
L	80 x	30 x 2	0,583	L	120 x	80 x 3	1,596
L	80 x	30 x 3	0,867	L	120 x	80 x 8	4,147
L	80 x	40 x 2	0,637	L	120 x	80 x 10	5,130
L	80 x	40 x 3	0,948	L	120 x	100 x 4	2,333
L	80 x	40 x 4	1,253	L	130 x	30 x 3	1,272
L	80 x	40 x 5	1,553	L	130 x	80 x 6	3,305
L	80 x	40 x 6	1,847	L	140 x	40 x 3	1,434
L	80 x	50 x 3	1,029	L	140 x	40 x 4	1,901
L	80 x	50 x 4	1,361	L	140 x	40 x 6	2,819
L	80 x	50 x 5	1,688	L	150 x	50 x 4	2,117
L	80 x	50 x 6	2,009	L	150 x	50 x 5	2,633
L	80 x	60 x 4	1,469	L	150 x	75 x 8	4,687
L	80 x	60 x 6	2,171	L	150 x	75 x 10	5,805
L	90 x	60 x 6	2,333	L	150 x	100 x 5	3,308
L	100 x	20 x 2	0,637	L	150 x	100 x 10	6,480
L	100 x	25 x 2	0,664	L	160 x	40 x 4	2,117
L	100 x	30 x 2	0,691	L	160 x	60 x 8	4,579
L	100 x	30 x 3	1,029	L	180 x	80 x 10	6,750
L	100 x	40 x 2	0,745	L	180 x	150 x 6	5,249
L	100 x	40 x 3	1,110	L	200 x	100 x 10	7,830
L	100 x	40 x 4	1,469	L	300 x	60 x 6	5,735
L	100 x	50 x 2	0,799				


Length: 6000 mm Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)

## Angles asymmetrical 95°

	A x	B x S	kg/m
L	180 x	150 x 6	5,249



## Angles symmetrical




A x B x S	kg/m	A x B x S	kg/m	A x B x S	kg/m
L 10 x 10 x 1	0,051	L 40 x 40 x 2	0,421	L 80 x 80 x 3	1,272
L 10 x 10 x 1,5	0,075	L 40 x 40 x 3	0,624	L 80 x 80 x 4	1,685
L 10 x 10 x 2	0,097	L 40 x 40 x 4	0,821	L 80 x 80 x 5	2,093
L 12 x 12 x 1	0,062	L 40 x 40 x 5	1,013	L 80 x 80 x 6	2,495
L 12 x 12 x 2	0,119	L 45 x 45 x 2	0,475	L 80 x 80 x 8	3,283
L 15 x 15 x 1	0,078	L 45 x 45 x 3	0,705	L 80 x 80 x 10	4,050
L 15 x 15 x 1,5	0,115	L 45 x 45 x 4	0,929	L 90 x 90 x 6	2,819
L 15 x 15 x 2	0,151	L 45 x 45 x 5	1,148	L 100 x 100 x 3	1,596
L 15 x 15 x 3	0,219	L 50 x 50 x 2	0,529	L 100 x 100 x 4	2,117
L 20 x 20 x 1,5	0,156	L 50 x 50 x 3	0,786	L 100 x 100 x 5	2,633
L 20 x 20 x 2	0,205	L 50 x 50 x 4	1,037	L 100 x 100 x 6	3,143
L 20 x 20 x 2,5	0,253	L 50 x 50 x 5	1,283	L 100 x 100 x 8	4,147
L 20 x 20 x 3	0,300	L 50 x 50 x 6	1,523	L 100 x 100 x 10	5,130
L 20 x 20 x 4	0,389	L 50 x 50 x 8	1,987	L 120 x 120 x 2,5	1,603
L 25 x 25 x 1	0,132	L 50 x 50 x 10	2,430	L 120 x 120 x 8	5,011
L 25 x 25 x 2	0,259	L 60 x 60 x 2	0,637	L 120 x 120 x 10	6,210
L 25 x 25 x 2,5	0,321	L 60 x 60 x 2,5	0,793	L 140 x 140 x 8	5,875
L 25 x 25 x 3	0,381	L 60 x 60 x 3	0,948		
L 25 x 25 x 4	0,497	L 60 x 60 x 4	1,253		
L 30 x 30 x 1	0,159	L 60 x 60 x 5	1,553		
L 30 x 30 x 2	0,313	L 60 x 60 x 6	1,847		
L 30 x 30 x 2,5	0,388	L 60 x 60 x 8	2,419		
L 30 x 30 x 3	0,462	L 60 x 60 x 10	2,970		
L 30 x 30 x 4	0,605	L 70 x 70 x 2,5	0,928		
L 30 x 30 x 5	0,743	L 70 x 70 x 5	1,823		
L 35 x 35 x 2	0,367	L 70 x 70 x 6	2,171		
L 35 x 35 x 3	0,543	L 70 x 70 x 7	2,514		
L 35 x 35 x 4	0,713	L 75 x 75 x 4	1,577		
L 35 x 35 x 5	0,878	L 75 x 75 x 5	1,958		

This is the STOCKLIST.  
 Subject prior sale.  
 Other dimensions on request.

## Angles symmetrical inside edge rounded


A x B x S	Ri	kg/m
L 25 x 25 x 2,5	2,5	0,321
L 80 x 80 x 4,0	4	1,685





## T - Sections

A x B x S	kg/m	A x B x S	kg/m
T 20 x 20 x 2	0,2052	T 45 x 80 x 2	0,6642
T 20 x 20 x 3	0,2997	T 45 x 110 x 2	0,8262
T 20 x 40 x 2	0,3132	T 50 x 50 x 3	0,7857
T 25 x 25 x 2	0,2592	T 50 x 50 x 4	1,0368
T 25 x 25 x 3	0,3807	T 50 x 50 x 5	1,2825
T 30 x 20 x 2	0,2592	T 50 x 70 x 5	1,5525
T 30 x 30 x 2	0,3132	T 50 x 80 x 5	1,6875
T 30 x 30 x 3	0,4617	T 60 x 60 x 4	1,2528
T 30 x 60 x 4	0,9288	T 60 x 60 x 6	1,8468
T 35 x 35 x 3	0,5427	T 60 x 100 x 5	2,0925
T 40 x 40 x 2	0,4212	T 80 x 50 x 5	1,6875
T 40 x 40 x 3	0,6237	T 100 x 100 x 3,5	1,8569
T 40 x 40 x 4	0,8208	T 100 x 100 x 6	3,1428
T 45 x 45 x 3	0,7047	T 100 x 100 x 10	5,1300




Length: 6000 mm

Alloy: AlMgSi EN AW-6060 T66 (AlMgSi 0,5 F22)


## Z - Sections

A x B x C x S1 x S2	kg/m
Z 12 x 12 x 10 x 2 x 2	0,162
Z 15 x 15 x 15 x 2 x 2	0,221
Z 17 x 32 x 17 x 2 x 2	0,335
Z 18 x 43 x 18 x 3 x 3	0,591
Z 20 x 20 x 20 x 2 x 2	0,302
Z 25 x 25 x 25 x 3 x 3	0,559
Z 25 x 30 x 25 x 3 x 3	0,599
Z 30 x 30 x 30 x 3 x 3	0,680
Z 30 x 40 x 30 x 3 x 3	0,761
Z 30 x 50 x 30 x 3 x 3	0,842
Z 30 x 60 x 30 x 2 x 2	0,626
Z 35 x 50 x 35 x 3 x 3	0,923
Z 40 x 40 x 40 x 2,5 x 2,5	0,776
Z 40 x 40 x 40 x 3 x 3	0,923
Z 50 x 50 x 50 x 4 x 4	1,534



## Z - Sections 135°


A x B x C x S1 x S2	kg/m
Z 135° 15 x 22 x 15 x 2 x 2	0,320
Z 135° 30 x 45 x 30 x 2 x 2	0,650




## Double T - Sections (I-Beams)

Alloy: AlMgSi EN AW-6060 T66 (AlMgSi 0,5 F22)  
Alloy: AlSiMg(A) EN AW-6005(A) T66 (AlMgSi 0,7 F26)  
Alloy: AlSi1MgMn EN AW-6082 T66 (AlMgSi 1 F28)

A x B x S1 x S2	kg/m	L	
H 25 x 25 x 2 x 2	0,383	6 m	EN AW-6060 T66
H 20 x 40 x 2 x 2	0,520	6 m	EN AW-6060 T66
H 12 x 40 x 4 x 2	0,520	6 m	EN AW-6060 T66
H 65 x 42,5 x 2,5 x 2,5	0,980	6 m	EN AW-6060 T66
TT 100 x 50 x 5 x 7	3,051	6 m	EN AW-6060 T66
TT 100 x 80 x 6 x 8	4,817	6 m	EN AW-6005 (A) T6
TT 120 x 120 x 8 x 8	7,430	6 m	EN AW-6060 T66
TT 122 x 158 x 5 x 6	6,604	6 m	EN AW-6005 (A) T6
TT 140 x 90 x 8 x 10	7,452	6 m	EN AW-6005 (A) T6
TT 140 x 90 x 8 x 10	7,452	10 m	EN AW-6082 T6
TT 160 x 120 x 6 x 8	7,452	6 m	EN AW-6082 T6
TT 160 x 120 x 6 x 8	7,452	10 m	EN AW-6082 T6




15




## Channels

This is the STOCKLIST. Subject prior sale.  
Other dimensions on request.

	A x	B x	C x S	kg/m		A x	B x	C x S	kg/m
U	6 x	6 x	6 x 1	0,043	U	10 x	30 x	10 x 2	0,250
U	8 x	8 x	8 x 1	0,059	U	15 x	30 x	15 x 2	0,302
U	9 x	9 x	9 x 1,5	0,097	U	15 x	30 x	15 x 3	0,437
U	10 x	10 x	10 x 2	0,140	U	20 x	30 x	20 x 2	0,356
U	15 x	10 x	15 x 1,5	0,150	U	20 x	30 x	20 x 3	0,518
U	20 x	10 x	20 x 2	0,248	U	30 x	30 x	30 x 2	0,464
U	15 x	11 x	15 x 2	0,200	U	30 x	30 x	30 x 3	0,680
U	12 x	12 x	12 x 2	0,173	U	40 x	30 x	40 x 2	0,580
U	20 x	12 x	20 x 2	0,259	U	40 x	30 x	40 x 3	0,842
U	7 x	13,2 x	7 x 1,2	0,080	U	50 x	30 x	50 x 3	1,010
U	13 x	13 x	13 x 2	0,189	U	15 x	35 x	15 x 2	0,329
U	20 x	13 x	20 x 1,25	0,170	U	20 x	35 x	20 x 2	0,383
U	14 x	14 x	14 x 2	0,205	U	25 x	35 x	25 x 2	0,437
U	15 x	15 x	15 x 1,5	0,170	U	35 x	35 x	35 x 2	0,545
U	15 x	15 x	15 x 2	0,221	U	35 x	35 x	35 x 3	0,802
U	20 x	15 x	20 x 1,5	0,211	U	15 x	40 x	15 x 2	0,356
U	20 x	15 x	20 x 2	0,275	U	15 x	40 x	15 x 4	0,670
U	18 x	18 x	18 x 2	0,270	U	20 x	40 x	20 x 2	0,410
U	19 x	19 x	19 x 3	0,413	U	20 x	40 x	20 x 2,5	0,506
U	20 x	19 x	20 x 1,25	0,200	U	20 x	40 x	20 x 3	0,599
U	10 x	20 x	10 x 2	0,194	U	20 x	40 x	20 x 4	0,778
U	15 x	20 x	15 x 2	0,248	U	25 x	40 x	25 x 2	0,464
U	20 x	20 x	20 x 1,5	0,231	U	25 x	40 x	25 x 3	0,680
U	20 x	20 x	20 x 2	0,302	U	30 x	40 x	30 x 2	0,518
U	20 x	20 x	20 x 3	0,437	U	30 x	40 x	30 x 3	0,761
U	25 x	20 x	25 x 1,5	0,270	U	30 x	40 x	30 x 4	0,994
U	25 x	20 x	25 x 2	0,356	U	40 x	40 x	40 x 2	0,626
U	30 x	20 x	30 x 1,5	0,310	U	40 x	40 x	40 x 2,5	0,780
U	30 x	20 x	30 x 2	0,410	U	40 x	40 x	40 x 3	0,923
U	40 x	20 x	40 x 2	0,518	U	40 x	40 x	40 x 4	1,210
U	40 x	20 x	40 x 2,5	0,641	U	40 x	40 x	40 x 5	1,485
U	40 x	20 x	40 x 4	0,994	U	60 x	40 x	60 x 3	1,247
U	20 x	22 x	20 x 2	0,313	U	20 x	45 x	20 x 2	0,437
U	23 x	23 x	23 x 1,5	0,267	U	25 x	45 x	25 x 2	0,491
U	15 x	25 x	15 x 2	0,275	U	25 x	45 x	25 x 3	0,720
U	19 x	25 x	19 x 3	0,462	U	32 x	45 x	32 x 2	0,567
U	20 x	25 x	20 x 2	0,329	U	15 x	50 x	15 x 2	0,410
U	20 x	25 x	20 x 2,5	0,405	U	20 x	50 x	20 x 2	0,464
U	20 x	25 x	20 x 3	0,478	U	25 x	50 x	25 x 2	0,518
U	25 x	25 x	25 x 1,5	0,290	U	25 x	50 x	25 x 2,5	0,641
U	25 x	25 x	25 x 2	0,383	U	25 x	50 x	25 x 4	0,994
U	25 x	25 x	25 x 3	0,559	U	30 x	50 x	30 x 2	0,572
U	30 x	25 x	30 x 2	0,437	U	30 x	50 x	30 x 3	0,842
U	32 x	25 x	32 x 2	0,459	U	30 x	50 x	30 x 4	1,102
U	40 x	25 x	40 x 2	0,545	U	40 x	50 x	40 x 3	1,010






## Channels

This is the STOCKLIST. Subject prior sale.  
Other dimensions on request.


	A x	B x	C x	S	kg/m		A x	B x	C x	S	kg/m
U	40 x	<b>50</b> x	40 x	4	1,318	U	45 x	<b>80</b> x	45 x	3	1,328
U	50 x	<b>50</b> x	50 x	2	0,788	U	45 x	<b>80</b> x	45 x	6	2,560
U	50 x	<b>50</b> x	50 x	3	1,166	U	50 x	<b>80</b> x	50 x	3	1,409
U	50 x	<b>50</b> x	50 x	4	1,534	U	50 x	<b>80</b> x	50 x	5	2,295
U	50 x	<b>50</b> x	50 x	5	1,890	U	60 x	<b>80</b> x	60 x	5	2,565
U	20 x	<b>55</b> x	20 x	2	0,491	U	80 x	<b>80</b> x	80 x	4	2,510
U	45 x	<b>55</b> x	45 x	2	0,761	U	40 x	<b>86</b> x	40 x	3	1,296
U	20 x	<b>60</b> x	20 x	2	0,518	U	20 x	<b>90</b> x	20 x	2,5	0,850
U	25 x	<b>60</b> x	25 x	2,5	0,750	U	40 x	<b>90</b> x	40 x	3	1,328
U	25 x	<b>60</b> x	25 x	3	0,842	U	50 x	<b>90</b> x	50 x	3	1,490
U	30 x	<b>60</b> x	30 x	2	0,626	U	50 x	<b>90</b> x	50 x	5	2,430
U	30 x	<b>60</b> x	30 x	3	0,923	U	20 x	<b>100</b> x	20 x	2	0,734
U	30 x	<b>60</b> x	30 x	4	1,210	U	40 x	<b>100</b> x	40 x	3	1,409
U	40 x	<b>60</b> x	40 x	2,5	0,911	U	50 x	<b>100</b> x	50 x	3	1,571
U	40 x	<b>60</b> x	40 x	3	1,085	U	50 x	<b>100</b> x	50 x	5	2,565
U	40 x	<b>60</b> x	40 x	4	1,426	U	50 x	<b>100</b> x	50 x	10	4,860
U	40 x	<b>60</b> x	40 x	5	1,755	U	60 x	<b>100</b> x	60 x	6	3,370
U	50 x	<b>60</b> x	50 x	2	0,840	U	40 x	<b>106</b> x	40 x	3	1,458
U	50 x	<b>60</b> x	50 x	3	1,247	U	20 x	<b>120</b> x	20 x	2	0,842
U	60 x	<b>60</b> x	60 x	3	1,409	U	40 x	<b>120</b> x	40 x	3	1,571
U	60 x	<b>60</b> x	60 x	4	1,858	U	40 x	<b>120</b> x	40 x	4	2,074
U	60 x	<b>60</b> x	60 x	5	2,295	U	40 x	<b>120</b> x	40 x	5	2,565
U	60 x	<b>60</b> x	60 x	6	2,722	U	80 x	<b>125</b> x	80 x	8	5,800
U	25 x	<b>65</b> x	25 x	2,5	0,743	U	40 x	<b>140</b> x	40 x	3	1,733
U	55 x	<b>65</b> x	55 x	2,5	1,148	U	60 x	<b>140</b> x	60 x	7	4,649
U	20 x	<b>70</b> x	20 x	2	0,572	U	70 x	<b>140</b> x	70 x	8	5,700
U	35 x	<b>70</b> x	35 x	3	1,090	U	80 x	<b>160</b> x	80 x	8	6,566
U	40 x	<b>70</b> x	40 x	3	1,166	U	40 x	<b>200</b> x	40 x	3	2,219
U	20 x	<b>80</b> x	20 x	2	0,626	U	100 x	<b>200</b> x	100 x	10	10,260
U	30 x	<b>80</b> x	30 x	3	1,085	U	38 x	<b>260</b> x	38 x	3	2,673
U	40 x	<b>80</b> x	40 x	3	1,247	U	70 x	<b>300</b> x	70 x	4	4,666
U	40 x	<b>80</b> x	40 x	4	1,642	U	70 x	<b>400</b> x	70 x	4	L=6m 5,750
U	40 x	<b>80</b> x	40 x	5	2,025	U	70 x	<b>400</b> x	70 x	4	L=8m 5,750

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)

Length: 6000 mm




	D	kg/m		D	kg/m
RD	5	0,053	RD	25	1,325
RD	6	0,076	RD	30	1,909
RD	8	0,136	RD	35	2,598
RD	10	0,212	RD	40	3,393
RD	12	0,305	RD	45	4,294
RD	14	0,416	RD	50	5,302
RD	15	0,477	RD	60	7,634
RD	16	0,543	RD	65	9,300
RD	18	0,687	RD	70	10,780
RD	20	0,848	RD	80	14,080
RD	22	1,026			



## Round Bars


Length: 6000 mm Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)



## Round Bars


Length: 3000 mm

Alloy: EN AW-2007  
 (AlCuMgPb)



	D	kg/m
BD-RD	15	0,536
BD-RD	20	0,954
BD-RD	25	1,490
BD-RD	30	2,146
BD-RD	35	2,920
BD-RD	40	3,814
BD-RD	50	5,960
BD-RD	55	7,212
BD-RD	60	8,582
BD-RD	65	10,072
BD-RD	70	11,682
BD-RD	75	13,410
BD-RD	80	15,258
BD-RD	85	17,224
BD-RD	90	19,310
BD-RD	100	23,840
BD-RD	110	28,846
BD-RD	120	34,330
BD-RD	130	40,290
BD-RD	140	46,726
BD-RD	150	53,640

This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.




## Square Bars


	A x B	kg/m		A x B	kg/m
VK	4 x 4	0,043	VK	25 x 25	1,688
VK	5 x 5	0,068	VK	30 x 30	2,430
VK	6 x 6 (R=0,5)	0,097	VK	35 x 35	3,308
VK	8 x 8	0,173	VK	40 x 40	4,320
VK	10 x 10	0,270	VK	45 x 45	5,468
VK	12 x 12	0,389	VK	50 x 50	6,750
VK	14 x 14	0,529	VK	55 x 55	8,168
VK	15 x 15	0,608	VK	60 x 60	9,720
VK	16 x 16	0,691	VK	70 x 70	13,230
VK	18 x 18	0,875	VK	80 x 80	17,280
VK	20 x 20	1,080			

## Special Profiles


Alloy: EN-AW 6060 T66 (AlMgSi 0,5 F22)




**P 9256**  
 Paneling Profile  
 139 x 6,6  
 Length 6 m




**P 9279**  
 Sight Protection Profile  
 124 x 8,5  
 Length 6 m




**P20160**  
 Double T Section  
 Length 6 m




**P17**  
 Insect Protection Profile  
 Length 6 m




**P-R 132**  
 Roller Shutter Profile  
 Length 6120 mm




**P 126**  
 Edge Profile  
 20 x 13 anodised A6C0  
 Length 6 m




**P11**  
 Door block  
 40 x 27 x 4  
 Length 6 m




**Crescentshaped Profile**  
 40 x 5 mm  
 Length = 6,5 m




**P03**  
 C-Profile 25 x 10 x 1,5  
 Hole 18 mm  
 Length 6 m



**P24**  
 C-Profile 24,3 x 10 x 1,5  
 Hole 19,1 mm  
 Length 6 m




**P245**  
 C-Profile 24,5 x 10 x 2  
 Hole 14,5 mm  
 Length 6 m




**P25**  
 C-Profile 25 x 10 x 2,5  
 Hole 13 mm  
 Length 6 m

## Special Profiles


Alloy: EN-AW 6060 T66 (AlMgSi 0,5 F22)




**B09**  
 Special Profile 53 x 40  
 Length 6 m



**B07**  
 Special Profile 53 x 39  
 Length 6 m




**B01**  
 Special Profile 53 x 22  
 Length 6 m




**P Z175**  
 Architrave 175x30


**P Z140**  
 Architrave 140x30  
 drilled 12 mm  
 each 500 mm



Round bars 16 mm  
 Round tubes 16 x 4 oder 16 x 3  
 can be clipped in



**HA02**  
 Frame Profile  
 90,20 x 43,50 mm  
 Length 6100 mm




**HA01**  
 Telescope Profile  
 50 x 50 x 2 mm  
 (FR 55x55x2 page 8)




## Special Profiles


Alloy: EN-AW 6060 T66 (AlMgSi 0,5 F22)




**P51**  
 Square Tube 50 x 30 x 30 x 2  
 Length 6 m




**P73**  
 Square Tube 70 x 30 x 30 x 2  
 Length 6 m




**P70**  
 Rect. Tube 70 x 50 x 30 x 2  
 Length 6 m




**P93**  
 Rect. Tube 90 x 50 x 30 x 2  
 Length 6 m




**P60**  
 Rect. Tube 100 x 60 x 15 x 2  
 Length 6 m




**P41**  
 T-Profile 41 x 22 x 3  
 Length 6 m




**P200**  
 Edge - Protection  
 Length 5 m




**P07**  
 Bead  
 Length 7,75 m




**P23**  
 44 x 26,6 x 1,2  
 Length 6 m



**P05**  
 30 x 25  
 Length 6 m




**P9231**  
 semicircular Profile  
 40 x 25 x 1,3




**P9268**  
 semicircular Profile  
 30 x 20 x 1,3

## Special Profiles


Alloy: EN-AW 6060 T66 (AlMgSi 0,5 F22)




**D100**  
 Triangle Tube  
 100 x 100 x 2,5  
 Length 6 m




**D70**  
 Triangle Tube  
 70 x 70 x 1,2  
 Length 6 m




**D50**  
 Triangle Tube  
 50 x 50 x 1,5  
 Length 6 m




**D30**  
 Triangle Tube  
 30 x 30 x 1,5  
 Length 6 m




**A72**  
 Octagonal Profile  
 72 x 2,5  
 Length 6 m




**A60**  
 Octagonal Profile  
 60 x 1,5  
 Length 6 m




**A45**  
 Octagonal Profile  
 45 x 2 ID 40,4  
 Length 6 m




**P9160**  
 Rejection profile  
 100x100x34,5x1,8 mm  
 Length 6 m





**P9161**  
 Cycle protection profile  
 100x30x2 mm, anodised A6C0  
 Length 7,2 m



**P9227**  
 Profile trapezoid  
 30x25x10x1,3  
 Length 6 m



**P9254**  
 Profile trapezoid  
 25x22x10x1,2  
 Length 6 m



**Perforated Sheets- on demand  
 available in many dimensions**

## Treadplates

Hight of Pattern 1,5 mm

Alloy:

EN AW-5754 (AlMg3)

S	B	L	kg
2 x	1000 x	2000	12,5
3 x	1000 x	2000	18,0
4 x	1000 x	2000	23,4
5 x	1000 x	2000	28,8
2 x	1250 x	2500	19,0
3 x	1250 x	2500	28,0
4 x	1250 x	2500	36,5
5 x	1250 x	2500	45,0
2 x	1500 x	3000	28,4
3 x	1500 x	3000	40,0
4 x	1500 x	3000	52,6
5 x	1500 x	3000	65,0



This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.

## Sheets Pure Aluminium

EN AW-1050A (Al 99,5)

S	B	L	kg
1 x	1000 x	2000	5,4
1,5 x	1000 x	2000	8,1
2 x	1000 x	2000	10,8
3 x	1000 x	2000	16,2
4 x	1000 x	2000	21,6
5 x	1000 x	2000	27,0
6 x	1000 x	2000	32,4
1 x	1250 x	2500	8,4
1,5 x	1250 x	2500	12,7
2 x	1250 x	2500	16,9
3 x	1250 x	2500	25,4
4 x	1250 x	2500	34,0
5 x	1250 x	2500	42,2
6 x	1250 x	2500	50,6
1 x	1500 x	3000	12,2
1,5 x	1500 x	3000	18,3
2 x	1500 x	3000	24,3
3 x	1500 x	3000	36,5
4 x	1500 x	3000	48,6
5 x	1500 x	3000	60,8
6 x	1500 x	3000	72,9
2 x	2000 x	4000	43,2
3 x	2000 x	4000	64,8

Quintett - Patterns




**Sheets powder coated**

**RAL 9010**

EN AW-5005 (AlMg1)

S	B	L	kg
2 x	1000 x	2000	11,3
2 x	1250 x	2500	17,7
2 x	1500 x	3000	25,5

one-sided foiled good for edging



S	B	L	kg
1 x	1000 x	2000	5,4
1,5 x	1000 x	2000	8,1
2 x	1000 x	2000	10,8
3 x	1000 x	2000	16,2
5 x	1000 x	2000	27,0
8 x	1000 x	2000	43,2
10 x	1000 x	2000	54,0
12 x	1000 x	2000	64,8
15 x	1000 x	2000	81,0



**Sheets Aluminium Magnesium Alloy:**

EN AW-5754 (AlMg3)

## Elbows





### Elbows 90° short radius

AlMgSi0,5 (6060)	60 x 3,0
AlMgSi0,5 (6060)	60 x 5,0
AlMgSi0,5 (6060)	76 x 3,0
AlMgSi0,5 (6060)	86 x 5,0
AlMgSi0,5 (6060)	89 x 3,0
AlMgSi0,5 (6060)	90 x 5,0
AlMgSi0,5 (6060)	100 x 3,0
AlMgSi0,5 (6060)	108 x 4,0
AlMgSi0,5 (6060)	110 x 5,0
AlMgSi0,5 (6060)	114 x 4,0
AlMgSi0,5 (6060)	160 x 5,0



### Elbows 90° long radius


AlMgSi0,5 (6060)	25 x 3,0
AlMgSi0,5 (6060)	30 x 2,0
AlMgSi0,5 (6060)	30 x 3,0
AlMgSi0,5 (6060)	35 x 2,5
AlMgSi0,5 (6060)	40 x 3,0
AlMgSi0,5 (6060)	45 x 3,0
AlMgSi0,5 (6060)	48 x 4,0
AlMgSi0,5 (6060)	50 x 3,0
AlMgSi0,5 (6060)	50 x 5,0
AlMgSi0,5 (6060)	56 x 3,0
AlMgSi0,5 (6060)	60 x 3,0
AlMg3 (5754)	60 x 3,0
AlMgSi0,5 (6060)	60 x 5,0
AlMg3 (5754)	60 x 5,0
AlMgSi0,5 (6060)	71 x 3,0
AlMgSi0,5 (6060)	75 x 5,0
AlMgSi0,5 (6060)	76 x 3,0
AlMgSi0,5 (6060)	80 x 3,0
AlMgSi0,5 (6060)	80 x 5,0
AlMgSi0,5 (6060)	86 x 3,0
AlMgSi0,5 (6060)	89 x 3,0
AlMgSi0,5 (6060)	90 x 4,0
AlMgSi0,5 (6060)	90 x 5,0
AlMg3 (5754)	90 x 5,0
AlMgSi0,5 (6060)	100 x 3,0
AlMgSi0,5 (6060)	106 x 3,0
AlMgSi0,5 (6060)	108 x 3,0
AlMgSi0,5 (6060)	108 x 4,0
AlMgSi0,5 (6060)	110 x 5,0
AlMg3 (5754)	110 x 5,0
AlMgSi0,5 (6060)	114 x 3,0
AlMg3 (5754)	114 x 3,0
AlMgSi0,5 (6060)	114 x 5,0
AlMgSi0,5 (6060)	133 x 4,0
AlMg3 (5754)	133 x 4,0
Al 99,5 (1050)	159 x 4,5
AlMgSi0,5 (6060)	160 x 5,0
AlMgSi0,5 (6060)	168 x 3,0
AlMgSi0,5 (6060)	168 x 7,0
AlMgSi0,5 (6060)	168,3 x 3,4
AlMgSi0,5 (6060)	219 x 5,0



### Elbows 180° long radius



AlMgSi0,5 (6060)	60 x 5,0
AlMgSi0,5 (6060)	80 x 3,0
AlMgSi0,5 (6060)	90 x 5,0

## Equal Tees




### Equal Tees pressed

AlMgSi0,5 (6060)	26,9x26,9x 2,3
AlMgSi0,5 (6060)	60 x 60 x 3,0
AlMgSi0,5 (6060)	60 x 60 x 5,0
AlMgSi0,5 (6060)	76 x 76 x 3,0
AlMgSi0,5 (6060)	89 x 89 x 4,0
AlMgSi0,5 (6060)	100x100 x3,0
AlMgSi0,5 (6060)	108x108 x4,0
AlMgSi0,5 (6060)	114x114 x5,0
AlMgSi0,5 (6060)	133x133 x4,0
AlMgSi0,5 (6060)	219x219 x4,0



## Welding Sockets






D	L	D
1/8 "	20 mm	15 mm
1/4 "	25 mm	20 mm
1/4 " extra	25 mm	25 mm
1/4 "	60 mm	55 mm
3/8 "	30 mm	25 mm
3/8 " extra	25 mm	30 mm
1/2 "	35 mm	28 mm
1/2 " extra	35 mm	35 mm
1/2 "	50 mm	28 mm
3/4 "	40 mm	35 mm
3/4 " extra	30 mm	45 mm
1 "	45 mm	40 mm
1 " extra	35 mm	50 mm
1 1/4 "	50 mm	50 mm
1 1/2 "	55 mm	55 mm
2 "	60 mm	70 mm
2 1/2 "	70 mm	90 mm
3 "	75 mm	100 mm
4 "	90 mm	130 mm

D	L	I
1/4 "	50 mm	20 mm
3/8 "	50 mm	20 mm
1/2 "	50 mm	20 mm
3/4 "	50 mm	20 mm
1 "	60 mm	25 mm
1 "	75 mm	25 mm
1 1/4 "	65 mm	25 mm
1 1/2 "	45 mm	25 mm
1 1/2 "	75 mm	30 mm
1 1/2 "	100 mm	30 mm
2 "	45 mm	25 mm
2 "	50 mm	25 mm
2 "	60 mm	25 mm
2 "	75 mm	30 mm
2 "	80 mm	30 mm
2 "	150 mm	30 mm
2 1/2 "	45 mm	25 mm
2 1/2 "	60 mm	25 mm
2 1/2 "	90 mm	30 mm
2 1/2 "	90 mm	35 mm
2 1/2 "	150 mm	35 mm
3 "	45 mm	25 mm
3 " extra	50 mm	25 mm
3 "	60 mm	25 mm
3 "	100 mm	35 mm
4 "	45 mm	25 mm
4 " extra	50 mm	25 mm
4 "	60 mm	25 mm
4 "	100 mm	30 mm
4 "	100 mm	45 mm
4 "	130 mm	45 mm
6 "	150 mm	35 mm

## Welding Nipples


Alloy:  
 EN AW-6060 T66  
 (AlMgSi 0,5 F22)



EN AW-5754 (AlMg3)		
D	L	I
2 "	60 mm	25 mm
3 "	60 mm	25 mm

## Double- thread Nipples


D	L	I
1 1/2 "	100 mm	2x 25 mm
2 "	80 mm	2x 25 mm
2 "	160 mm	2x 30 mm
3 "	80 mm	2x 25 mm
4 "	100 mm	2x 25 mm
4 "	520 mm	2x 30 mm



This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.




## Elbows 90° Norm 3 with thread




AlMgSi0,5	6060	60 x 5	2 "
AlMgSi0,5	6060	89 x 5	3 "

## Shoe



108 x 4 AlMgSi0,5 (6060)


## Reducing outlet cross with thread 4"



**Seamless pressed**  
 - not casted  
 - not welded


114,3/114,3 x 60,3/76,1 x 6 mm

## Caps



88,9 x 3 mm AlMg3  
 152,0 x 3 mm AlMg3  
 159,0 x 3 mm AlMg5

Alloy: EN AW-6060 T66 (AlMgSi 0,5 F22)




## Saddles

D	x	S	
89	x	4	AlMgSi0,5 (6060)
108	x	4	AlMgSi0,5 (6060)



## Stub ends

33,7 mm






## Concentric REDUCERS




D x	d x	S		
56 x	31 x	3	AlMg3	(5754)
56 x	46 x	3 *	AlMg3	(5754)
60 x	34 x	3,5	AlMg3	(5754)
60 x	42 x	5	AlMgSi0,5	(6060)
76 x	42 x	3	AlMgSi0,5	(6060)
76 x	46 x	3 *	AlMg3	(5754)
76 x	48 x	3 *	AlMg3	(5754)
76 x	56 x	3 *	AlMg3	(5754)
89 x	60 x	3	AlMgSi0,5	(6060)
89 (90) x	60 x	5	AlMgSi0,5	(6060)
89 x	76 x	3	AlMgSi0,5	(6060)
106 x	86 x	3	AlMgSi0,5	(6060)
108 x	60 x	5	AlMgSi0,5	(6060)
108 x	76 x	4	AlMgSi0,5	(6060)
108 x	89 x	3	AlMgSi0,5	(6060)
108 x	89 x	4	AlMgSi0,5	(6060)
108 x	89 x	5	AlMgSi0,5	(6060)
114,3 x	89 x	3	AlMgSi0,5	(6060)
114 x	88 x	6	AlMg4,5Mn	(5083)
133 x	108 x (4)	5	AlMgSi0,5	(6060)
159 x	108 x	5	AlMgSi0,5	(6060)
159 x	133 x (4)	5 *	AlMgSi0,5	(6060)

\* nur auf Anfrage




## Eccentric REDUCERS



D	x	d	x	S	
76	x	56	x	3	AlMgSi0,5 (6060)
89	x	60	x	5	AlMgSi0,5 (6060)
89	x	76	x	3	AlMgSi0,5 (6060)
108	x	89	x	4	AlMgSi0,5 (6060)
108	x	89	x	5	AlMgSi0,5 (6060)
133	x	108	x	3	AlMgSi0,5 (6060)
133	x	108	x	4	AlMgSi0,5 (6060)
159	x	108	x	4	AlMgSi0,5 (6060)



Casted aluminium tube connectors for round or square tubes available on demand in many dimensions and designs.  
 Sign carriers in all sizes.





Hose Coupling



System STORZ  
 LIGHT METAL





Adapter with female thread




Adapter with male thread





Caps

<p>Hose coupling</p> <p>A - clearance 100 mm                  B - clearance 60 mm                  B - clearance 75 mm                  C - clearance 40 mm                  C - clearance 45 mm                  C - clearance 50 mm                  C - clearance 52 mm                  C - Ø 50 mm</p>	<p>Adapter</p> <p>A - 4 " female thread                  B - 2 ½ " female thread                  B - 3 " female thread                  C - 2 " female thread</p>
<p>Caps</p> <p>A DIN 14313                  B DIN 14312                  C DIN 14311</p>	<p>Tube connecting piece                  for adapter                  fits on tube OD 40, 45 and 60</p> 
<p>Hose with steel spiral</p>  <p>clearance</p> <p>20 mm                  38 mm                  40 mm                  45 mm                  50 mm                  60 mm                  70 mm                  100 mm</p>	<p>Coupling spanner                  with plastic handle</p> <p>DIN 14822</p> <p><b>Other dimensions on demand</b></p>




**C-Profile for wall fixture 40 x 22**  
 A8 perforated  
 hole 18 mm  
 galvanized iron  
 length 6 m  
 or length 2 m




**Clamps for tube**  
 galvanized iron

Size: 34 - 40  
 40 - 46  
 46 - 52  
 52 - 58  
 58 - 64

34 - 40 double  
 46 - 52 double



**Coupling with rubber**  
 2 screws M8  
 1.4016 / rubber EPDM  
 with earth wire  
 L = 100 mm




**MORRIS Coupling**  
 galvanized iron  
 black rubber

for tube AD 84 mm - L=152 mm

for tube AD 86 mm - L=102 mm


for tube 38, 40, 45, 50, 60 und 70  
 with white rubber: 50

(also available in red and white rubber)




This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.

## Aluminium EN AW-6060 T66 (AlMgSi)



### Elbow 90° side lengthening

50 x 1,5 mm	R=250 mm	SV 2 x 200 mm
50 x 2 mm	R=300 mm	SV 2 x 200 mm
60 x 1,5 mm	R=500 mm	SV 2 x 200 mm




### Elbow 60° side lengthening

45 x 2 mm	R=300 mm	SV 2 x 150 mm
-----------	----------	---------------


### Elbow 45° side lengthening

50 x 1,5 mm	R=250 mm	SV 2 x 200 mm
-------------	----------	---------------




### Junction piece 30°

40 x 1,5 mm
50 x 2,0 mm




### Equal Tee

40 x 1,5 mm	200/150
60 x 3,0 mm	200/ 90



### Reduced Tee



60/45 x 3 mm	200/90
--------------	--------



### Bevel - Elbow

60/60 x 2 mm	120/120
--------------	---------

Tiered elbow according to drawing




**OTHER DIMENSION AND SPECIAL PRODUCTIONS AVAILABLE ON REQUEST**



**30**

Junctions available on short notice

## Stainless steel 1.4301



### Elbow 90° side lengthening

38 x 1,5 mm	R=500 mm	SV 2 x 200 mm
44,5 x 2 mm	R=300 mm	SV 2 x 150 mm
44,5 x 2 mm	R=300 mm	SV 2 x 120 mm
44,5 x 2 mm	R=110 mm	SV 2 x 150 mm
50 x 2 mm	R=300 mm	SV 2 x 200 mm
50 x 2 mm	R=500 mm	SV 2 x 200 mm
60 x 2 mm	R=300 mm	SV 2 x 200 mm
60 x 2 mm	R=500 mm	SV 2 x 200 mm
60 x 2 mm	R=300 mm	SV 2 x 120 mm

### Elbow 45° side lengthening

50 x 2 mm	R=500 mm	SV 2 x 200 mm
-----------	----------	---------------

### Elbow 30° side lengthening

38 x 1,5 mm	R=500 mm	SV 2 x 200 mm
-------------	----------	---------------




### Y - piece 30°

44 x 1,5 mm
-------------




### Junction piece 30°

38 x 2,0 mm
45 x 1,5 mm
50 x 2,0 mm
60 x 2,0 mm
70 x 2,0 mm




### Junction piece 30° reduced

60/45 x 2 mm
--------------



### Equal Tee

40 x 1,5 mm	200/130
-------------	---------



### Elbow 90°


60 x 2 mm	R=76	SV 2 x150
-----------	------	-----------



### Reducer

60/45 x 2 mm	L=150 mm
--------------	----------

**Elbows of glass on request available**




DN	Typ A (metr.)		Typ C (ISO)		D3	S
	D1	d2	d2			
20	105	28			4 x 14	14
50	165		65		4 x 18	18
65	185	73	81		4 x 18	18
80	200	90	94		8 x 18	20
100	220	111	119		8 x 18	20
100	220		119		8 x 18	18
125	250	136	144		8 x 18	22
150	285	161	173		8 x 22	22
250	395	264	279		12 x 22	26
300	445	315	329		12 x 22	26
350	505	365	374		22 x 16	26

DN	D1	D3	S
25	115	4 x 15	16
32	140	4 x 18	16
40	150	4 x 18	16
65	185	4 x 18	18
80	200	8 x 18	20
125	250	8 x 18	22
200	340	8 x 22	24
250	395	12 x 22	26

This is the STOCKLIST. Subject prior sale.  
 Other dimensions on request.

## Flange, Collar

### AlMg3 (5754)



unturned welding flange					
DN	D		DIN 2642		
32	38	x	3	AlMg3	
40	46	x	3	AlMg3	
50	56	x	3	AlMg3	
50	60	x	2,5	AlMg3	
50	60	x	5	AlMg3	
65	76	x	3	AlMg3	
80	86	x	3	AlMg3	
80	90	x	5	AlMg3	
100	106	x	3	AlMg3	
100	114	x	3	AlMg3	
125	131	x	3	AlMg3	
150	156	x	3	AlMg3	
150	168	x	4	AlMg3	
200	206	x	3	AlMg3	
200	208	x	4	AlMg3	
200	219	x	4	AlMg3	
250	258	x	4	AlMg3	
300	306	x	3	AlMg3	
300	308	x	4	AlMg3	
welding flange					
DN for tube					
250	273	x	3	AlMg3	

## Tanktruck welding flanges

### DIN 28460

#### Pressed-Aluminium AlMg3

TW	1	NW	50
TW	1	NW	80
TW	3	NW	100



# BLECHA

Export in 36 countries



<How you find us



Stock expansion in 1999



New building in 2003/2004

Tel 0043 (0)2635 68097 Fax 0043 (0)2635 68096 eMail [export@blecha.at](mailto:export@blecha.at) <http://www.blecha.at>

Ingrid L. BLECHA Ges.m.b.H. IMPORT-EXPORT A-2620 NEUNKIRCHEN, Föhrenwaldstr. 31